Scenario	
Estimated Scenario Time	
Estimated Debriefing Time	
Target Group	

Prerequisite Knowledge
Learners should possess the following competencies prior to participation in this scenario:

Cognitive Skills	Psychomotor Skills

Brief Summary

Learning Objectives

Proposed Correct Treatment Outline		
(EVENT LIST)	Critical Event	Handler

Laerdal®
helping save lives

Patient Description		
Choose Image	Name	
	Age	
	Weight	
	Height	
	Gender	
Background *History of Present Complaint*		
Setting		
Patient Information *History* *Medications* *Allergies* *PCP*		
☐ Show this information on the monitor before starting the scenario		
☐ Make this information available during the simulation		

Choose Monitor Setup					
Monitor Layout					
Parameters					
☐	Primary ECG	☐	CVP	☐	AWRR
☐	Secondary ECG	☐	NBP	☐	CO
☐	Arterial BP	☐	TOF	☐	TPERI
☐	SPO2 (Pleth)	☐	N2O	☐	TBLOOD
☐	PAP	☐	O2	☐	ICP
☐	CO2	☐	Pulse	☐	AGT

Equipment Checklist		
Equipment that should be readily available for the scenario		
Personal		
PPE (goggles, gloves, etc)		
Stethoscope		
Penlight		
Reference Material		
Diagnostic		
BP Cuff	Medical Records	
Thermometer	Physician Orders	
SPO2 Monitor and Probe		
ECG Monitor/Defib/Pacer		
Lab Reports		
Therapy		
Oxygen Source		
Oxygen Delivery Adjunct		
Suction		
IV Start Kit		
Crash Cart		
Medications & IV Fluids		

Preparation of the Simulator

Number and Roles of Participants

Laerdal®
helping save lives

Scenario Editor - (Flowchart)

| Patient: |
| Monitor: |

Initial State

Laerdal®
helping save lives

Create Physiologic Trends

Trends permit the simulator to physiologically model a number of factors including BP, heart rate, respiration, and other factors. Use the below tables to plan physiological trends.

(Helpful Hint: Use different colors to identify each parameter)

Trend Name: Time:

Value	Time in Minutes						
	:	:	:	:	:	:	:
+							
+							
+							
Baseline							
-							
-							
-							

Parameters	
Heart Rate	Central Venous Pressure
Respiration Rate	Pulmonary Artery Pressure
SpO2	Pulmonary Artery Wedge Pressure
Blood Pressure	Cardiac Output
CO2	Absorbed Oxygen
Temperature	Absorbed Nitrous Oxide
	Absorbed Anesthetic Agent

Trend Name: Time:

Value	Time in Minutes						
	:	:	:	:	:	:	:
+							
+							
+							
Baseline							
-							
-							
-							

Parameters	
Heart Rate	Central Venous Pressure
Respiration Rate	Pulmonary Artery Pressure
SpO2	Pulmonary Artery Wedge Pressure
Blood Pressure	Cardiac Output
CO2	Absorbed Oxygen
Temperature	Absorbed Nitrous Oxide
	Absorbed Anesthetic Agent

Laerdal®
helping save lives

Create an Event Handler (Optional)
Events may be customized to initiate an Action such as playing a vocal sound, changing a physiologic value, or inserting a detailed comment in the Debriefing Log. Use the below table to identify events that trigger an action or frame change.
(Helpful Hint: All critical events should be supported with a detailed comment)

Handler Name:		Number of Frames:	

EVENTS
================Actions================

EVENTS
================Actions================

EVENTS
================Actions================

EVENTS
================Actions================

EVENTS
================Actions================

EVENTS
================Actions================

Laerdal®
helping save lives

Debriefing Overview	
Critical Event:	
Rationale:	

Debriefing Overview	
Critical Event:	
Rationale:	

Critical Event:	
Rationale:	

Critical Event:	
Rationale:	

Critical Event:	
Rationale:	

References	
Year	Reference

Laerdal®

helping save lives